

MILO

Design Athena

Collezione di applique LED da parete e plafone disponibili nelle finitura bianco.


Collection of wall and ceiling LED lamps, white finishing.





APPLIQUE LED ORIENTABILE
Sorgente Led 1x8,7W - 220/240v dimmerabile


Code	Color	Led	Polycarbonate
5601	5 White	1 4000°K 800 lm	1 Trasparent
		6 2800°K 650 lm	7 Orange
			8 Red




Led CRI >80 CE IP 40

APPLIQUE LED ORIENTABILE
Sorgente Led 1x12W - 220/240v dimmerabile

Code	Color	Led	Polycarbonate
5701	5 White	1 4000°K 1210 lm	1 Trasparent
		6 2800°K 1000 lm	7 Orange
			8 Red




Led CRI >80 CE IP 40



APPLIQUE/PLAFONE LED ORIENTABILE
Sorgente Led 2x8,7W - 220/240v dimmerabile


Code	Color	Led	Polycarbonate
5622	5 White	1 4000°K 1600 lm 6 2800°K 1300 lm	1 Trasparent 7 Orange 8 Red



Led CRI >80 IP 40 640

APPLIQUE/PLAFONE LED ORIENTABILE
Sorgente Led 3x8,7W - 220/240v dimmerabile

Code	Color	Led	Polycarbonate
5623	5 White	1 4000°K 2400 lm 6 2800°K 1950 lm	1 Trasparent 7 Orange 8 Red




Led CRI >80 IP 40 1140



APPLIQUE/PLAFONE LED ORIENTABILE
Sorgente Led 2x8,7W - 220/240v dimmerabile


Code	Color	Led	Polycarbonate
5621	5 White	1 4000°K 1600 lm	1 Trasparent
		6 2800°K 1300 lm	7 Orange
			8 Red



Led CRI >80 IP 40 520

APPLIQUE/PLAFONE LED ORIENTABILE
Sorgente Led 2x12W - 220/240v dimmerabile

Code	Color	Led	Polycarbonate
5721	5 White	1 4000°K 2420 lm	1 Trasparent
		6 2800°K 2000 lm	7 Orange
			8 Red



Led CRI >80 IP 40 840