




**CRAZY:** pannello ad incasso tondo led, con finitura bianca.  
**CRAZY:** led recessed panel light - round and white.

**VRD 20**



Possibilità di poter scegliere la temperatura colore  
 Possibility to choose the color temperature  
 (3000k, 4000k, 5000k)



**DIMMERABILE / DIMMABLE :  
 TRAILING EDGE DIMMER**

articolo / item

- **VRD 20\_09 BI 3000K**  
3000 K  
730 lumen
- **VRD 20\_09 BI 4000K**  
4000 K  
820 lumen
- **VRD 20\_09 BI 5000K**  
5000 K  
900 lumen

<b>finitura / finished</b>	bianco / white
<b>voltaggio / voltage</b>	AC 180-265V, 50/60 Hz
<b>driver</b>	compreso / included
<b>misure / measures</b>	Ø 110 mm, H 65 mm
<b>foro / hole</b>	Ø 90 mm
<b>angolo / beam angle</b>	90°
<b>durata / life</b>	30.000 ore / hours
<b>materiale / material</b>	PBT + Alluminio / PBT + Aluminium
<b>peso / weight</b>	0,14 kg

**9W**  **IP20**



PANNELLI INCASSO LED  
LED PANEL LIGHTS

BIANCO/WHITE

GRIGIO / SILVER

VRD 13\_03 BI  
VRD 13\_03 FR BI

VRD 13\_03 SL  
VRD 13\_03 FR SL

VRD 13\_06 BI  
VRD 13\_06 FR BI

VRD 13\_06 SL  
VRD 13\_06 FR SL

VRD 13\_09 BI  
VRD 13\_09 FR BI

VRD 13\_09 SL  
VRD 13\_09 FR SL

VRD 13\_12 BI  
VRD 13\_12 FR BI

VRD 13\_12 SL  
VRD 13\_12 FR SL

VRD 13\_18 BI  
VRD 13\_18 FR BI

VRD 13\_18 SL  
VRD 13\_18 FR SL

VRD 13\_24 BI  
VRD 13\_24 FR BI

VRD 13\_24 SL  
VRD 13\_24 FR SL

VRD 14\_03 BI  
VRD 14\_03 FR BI

VRD 14\_03 SL  
VRD 14\_03 FR SL

VRD 14\_06 BI  
VRD 14\_06 FR BI

VRD 14\_06 SL  
VRD 14\_06 FR SL

VRD 14\_09 BI  
VRD 14\_09 FR BI

VRD 14\_09 SL  
VRD 14\_09 FR SL

VRD 14\_12 BI  
VRD 14\_12 FR BI

VRD 14\_12 SL  
VRD 14\_12 FR SL

VRD 14\_18 BI  
VRD 14\_18 FR BI

VRD 14\_18 SL  
VRD 14\_18 FR SL

VRD 14\_24 BI  
VRD 14\_24 FR BI

VRD 14\_24 SL  
VRD 14\_24 FR SL

