

CM2

Rotaliana Technical Office
2019 / 2024

IT - Una forma semplice, geometrica, di soli 2 centimetri di spessore, che si integra perfettamente in qualsiasi spazio e garantisce un potente flusso luminoso.

EN – A Simply geometric shape, just 2 centimeters thick, which integrates perfectly into any space and guarantees a powerful luminous flux.

DE - Eine schlichte, geometrische Form, nur zwei Zentimeter hoch, die sich in jedem Raum perfekt integriert und eine hohe Lichtleistung gewährleistet.

FR - Une forme simple et géométrique, de seulement 2 centimètres d'épaisseur, qui s'intègre parfaitement à n'importe quel espace et garantit un flux lumineux puissant."

ES - Una forma simple y geométrica, con un espesor de solo 2 centímetros, que se integra perfectamente en cualquier espacio y garantiza un potente flujo luminoso.






CM2



CM2 W1



GENERAL

Wall
Surface
On-Off, Phase
IP20
1.600 lumen - luminaire flux
Indoor use

LED


MID POWER LED
2.700K, 3.000K
CRI 90
230V
Macadam step 3
LED Life L70 B50 > 50.000 h
Energy Class: F

ELECTRICAL


220-240 V 50 Hz
16W
Class 1
Driver included

OPTICAL | PHOTOMETRIC

Lighting type: Indirect
Light distribution: Symmetric



CM2 W2



GENERAL

Wall
Surface
On-Off, Phase
IP20
3.200 lumen - luminaire flux
Indoor use

LED


MID POWER LED
2.700K, 3.000K
CRI 90
230V
Macadam step 3
LED Life L70 B50 > 50.000 h
Energy Class: F

ELECTRICAL

220-240 V 50 Hz
32W
Class 1
Driver included

OPTICAL | PHOTOMETRIC

Lighting type: Indirect
Light distribution: Symmetric



COLOURS

Catalogue

- 63 Matt white
- 62 Matt black

Satin Collection (upon request)

- 20 Graphite
- 33 Royal gold
- 43 Silver
- 48 Dark bronze
- 64 Bronze
- 65 Champagne

Warm Collection (upon request)

- W2 Sand
- W4 Rope color
- W6 Dove-gray
- W8 Coffee