



COMFORT

DESIGN: SFORZIN ILLUMINAZIONE

MODELLO REGISTRATO_REGISTERED TRADEMARK_GESCHÜTZTES MUSTER_MODELO REGISTRADO_Зарегистрированная модель

Vetro lastra bianco satinato interno e bianco latte esterno. Tutte le lampade con attacco E27/E14 sono disponibili lampadine alogene, fluorescenza o led.

Omologazioni

CE [RECYCLED] [E27] [E14] ([RECYCLED] 1584.40 - 1584.50)

Glass plate, frosted white inside and milk white outside. All of the lamps with an E27/E14 connection are available with halogen, fluorescent or LED bulbs.

Type-approvals

CE [RECYCLED] [E27] [E14] ([RECYCLED] 1584.40 - 1584.50)

Plattenglas Innen weiß satiniert und Außen milchweiß. Alle Lampen mit Anschluss E27/E14 sind verfügbar mit Halogen- Leuchtstoff- oder Led-Lampen.

Zulassungen

CE [RECYCLED] [E27] [E14] ([RECYCLED] 1584.40 - 1584.50)

Placa de cristal blanco satinado interior y blanco leche exterior. Todas las lámparas con casquillo E27/E14 están disponibles para bombillas halógenas, fluorescentes o LED.

Homologaciones

CE [RECYCLED] [E27] [E14] ([RECYCLED] 1584.40 - 1584.50)

Стекланные пластины белые сатирированные внутри и молочно-белого цвета снаружи. Все лампочки с цоколем E27/E14 подходят галогенные, флюоресцентные или светодиоды.


Омологации

CE [RECYCLED] [E27] [E14] ([RECYCLED] 1584.40 - 1584.50)




1584.30

_ 1x150W
_ E27




1584.40

_ 1x60W
_ E14




1584.50 [RECYCLED]

_ 1x250W
_ E27



1584.31

_ 1x150W
_ E27





1584.31



COMFORT

DESIGN: SFORZIN ILLUMINAZIONE

MODELLO REGISTRATO_REGISTERED TRADEMARK_GESCHÜTZTES MUSTER_MODELO REGISTRADO_Зарегистрированная модель

Vetro lastra bianco satinato interno e bianco latte esterno.
Le lampade hanno attacco R7S e E27, di quest'attacco sono disponibili lampadine alogene, fluorescenza o led. Disponibile dove previsto moduli led dimmerabili con dimmer a taglio di fase.

Omologazioni

CE [E] [R] [1584.40 - 1584.50]

Glass plate, frosted white inside and milk white outside.
The lamps have an R7S and E27 connection; halogen, fluorescent or LED bulbs are available for these connections. Dimmable LED modules with phase-cut dimmer available where applicable.

Type-approvals

CE [E] [R] [1584.40 - 1584.50]

Plattenglas Innen weiß satiniert und Außen milchweiß. Die Lampen haben Anschluss R7S und E27, für diesen Anschluss stehen Halogenlampen, Leuchtstofflampen oder Led zur Verfügung. Wo vorgesehen, stehen dimmerfähige Led Module zur Verfügung, Dimmer mit Phasenschnitt.

Zulassungen

CE [E] [R] [1584.40 - 1584.50]

Placa de cristal blanco satinado interior y blanco leche exterior. Las lámparas tienen casquillos R7S y E27, para este casquillo están disponibles bombillas halógenas, fluorescentes o LED. Disponible cuando previsto, módulos de LED de intensidad regulable con dimmer de corte de fase.


Homologaciones

CE [E] [R] [1584.40 - 1584.50]

Стеклоплатины белые сатиновые внутри и молочно-белого цвета снаружи. Лампочки с цоколем R7S и E27, подходят галогенные, флюоресцентные или светодиоды. Есть в наличии, где предвидено, модули с регулируемой яркостью с помощью реостата с отсечением фазы.

Омологации


CE [E] [R] [1584.40 - 1584.50]



1584.10



1584.20



1584.21

1584.10
_ 1x100W
_ R7S 78 mm.

1584.20 LED
_ Modulo led 17,5 W - 220V
_ 3200° K
_ 1410 Lumen
_ Dimmerabile

1584.20
_ 1x150W
_ R7S 117 mm.

1584.20 E27
_ 4x60W

1584.21 LED
_ 2 moduli 17,5 W - 220V
_ 3200° K
_ 2820 Lumen
_ Dimmerabile





1584.21
_ 1x200W
_ R7S 117 mm.


1584.21 E27
_ 4x60W

1584.11 LED
_ Modulo led 13 W - 220V
_ 3200° K
_ 1000 Lumen
_ Dimmerabile

1584.11
_ 1x100W
_ R7S 78 mm.

1584.11 E27
_ 2x60W





1584.11

