



CESTAL00094


Profilo progettato per essere integrato all'interno di controsoffitti e contropareti andando a rendere possibile, tramite l'utilizzo di profili luminosi quali il CESTAL00043 oppure il CESTAL00095, la realizzazione di linee luminose restando nello spessore della lastra di cartongesso.
L'architettura compatta del profilo CESTAL00094 consente un'installazione agevolata dove il cartongesso è già stato posato. E' comodamente installabile senza intervenire sulla struttura pre-esistente. Infatti, essendo di soli 13 mm di profondità dal punto di taglio, è in grado di adattarsi alla profondità della lastra del pannello.

Profile designed to be integrated into false ceilings and false walls making possible to create light lines by using light profiles such as CESTAL00043 or CESTAL00095, remaining in the thickness of the plasterboard.

The CESTAL00094's compact architecture allows easy installation where the plasterboard has already been installed.

It can be installed easily without intervening on the pre-existing structure.

In fact, being only 13 mm deep from the cutting point, it is able to adapt to the panel plate depth.



CESTAL00094



Materiale: Estruso in alluminio
Material: Extruded aluminum

Dimensione: 81 × 15,5 mm
Dimension: 81 × 15,5 mm

Lunghezza: Fino a 6 metri
Length: Up to 6 meters

Tipi di installazione: 
Types of installation:



ACCESSORI ACCESSORIES

CESTAL00043



Profilo interno
Inner profile

CESTAL00095



Profilo interno
Inner profile

FINITURE FINISHING

---.A3




All. grezzo
Rough aluminum

INCASSO RECESSED



CESTAL00094

CESTAL00095



Accessorio angolare non
fornito da Stealth Light
Angular accessory non
supplied by Stealth Light


(by others)



INCASSO RECESSED

CESTAL00094

CESTAL00043



Accessorio angolare non
fornito da Stealth Light
Angular accessory non
supplied by Stealth Light