

Articolo : **VRD 41\_06 BI**

Descrizione : NATE, Pannello led quadro bianco, 6W



Potenza / Power :	6W
Temperatura / Temperature :	3000°K / 4000K CRI 80
Finitura / Finished :	Bianco / White
Materiale / Material :	Alluminio / Aluminium
Lumen :	3000K: 365 lm / 4000K: 386 lm
Dimensioni / Size :	117 X 117 mm X H 14 mm
Foro Incasso / Cut Out :	110 x 110 mm
Angolo / Beam Angle :	110°
Voltaggio / Voltage :	AC220-240V, 50/60 Hz
Driver :	Incluso / Included
Durata / Life :	30.000 ore / hrs
Fattore Potenza / Power Factor :	PF>0.5
Grado di protezione / IP Rating :	IP20

Articolo : **VRD 41\_12 BI**

Descrizione : NATE, Pann. led quadro bianco,12W



Potenza / Power :	12W
Temperatura / Temperature :	3000°K / 4000°K CRI 80
Finitura / Finished :	Bianco / White
Materiale / Material :	Alluminio / Aluminium
Lumen :	3000K: 842lm / 4000K: 877 lm
Dimensioni / Size :	167X167 X H 14 mm
Foro Incasso / Cut Out :	155X155 mm
Angolo / Bean Angle :	110°
Voltaggio / Voltage :	AC220-240V, 50/60 Hz
Driver :	Incluso / Included
Durata / Life :	30.000 ore / hrs
Fattore Potenza / Power Factor :	PF>0.5
Grado di protezione / IP Rating :	IP20

Articolo : **VRD 41\_18 BI**

Descrizione : NATE, Pannello led quadro bianco, 18W



Potenza / Power :	18W
Temperatura / Temperature :	3000°K / 4000°K CRI 80
Finitura / Finished :	Bianco / White
Materiale / Material :	Alluminio / Aluminium
Lumen :	3000K: 1392 lm / 4000K: 1404 lm
Dimensioni / Size :	218 X 218 mm X H 14 mm
Foro Incasso / Cut Out :	205 x 205 mm
Angolo / Beam Angle :	110°
Voltaggio / Voltage :	AC220-240V, 50/60 Hz
Driver :	Incluso / Included
Durata / Life :	30.000 ore / hrs
Fattore Potenza / Power Factor :	PF>0.5
Grado di protezione / IP Rating :	IP20